

# Reeve

---

# Spray booths



Reevespraybooths.com Tel: 0116 259 9555



Reeve Spray Booths  
0116 259 9555  
[www.reevespraybooths.com](http://www.reevespraybooths.com)  
[sales@reevespraybooths.com](mailto:sales@reevespraybooths.com)

# Table of Contents


About Us	03
SpaceSaver	04-05
RearEx	06-07
RaisedFloor	08-09
DownDraught	10-11
WheelBox	12-13
SmartRepair	14-15
Commercial/Industrial	16
Bespoke Spray Booths	17
Paint Mixing Room	18
Enhancements & Extras	19
Contact Us	20

# About Us

Here at Reeve Spray Booths we have been building and fitting spray booths and smart repair booths since 1986. In that time we have been supplying quality refurbished spray booths nationwide, from local small businesses to main stream dealerships. And since 2010 we have been making and building our own brand new booths.

Our superb range of brand new spray booths include our RearEx (with rear chest mounted plant), SpaceSaver (with roof mounted plant), Down Draught (with pit extraction), Raised Floor (with under floor extraction) as well as our Smart Repair (Extract only – no heat) booths. We are also able to provide Commercial and Bespoke booths depending on the customer's requirements. The installation of a new booth takes approximately 3-5 days depending on the type of booth, including input and extract ducting through the roof/wall of the building and extract and input filters in place.

We also buy and sell a range of top quality second-hand spray booths, from standard size spray booths to commercial size spray booths. The spray booths are steam cleaned and, if so, repaired before being sold on. Contact us for quotes for any spray booths we have in stock and we hope you enjoy browsing our available booths.



# SpaceSaver

The SpaceSaver spray booth does exactly what it says in the title. It saves you space by being able to fit into the corner of your garage. It does this because it has the extraction area built within the rear of the booth and also has roof mounted plant.

The SpaceSaver is available in 3 size options:

- Std:
  - Inside: 6.5m long (on the floor) & 6.0m long (at the ceiling) x 3.9m wide x 2.4m high cabin.
  - Outside: 7.13m long x 4.0m wide x 3.85m high
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.3m high.
- Xtra:
  - Inside: 6.5m long (on the floor) & 6.0m long (at the ceiling) x 3.9m wide x 2.7m high cabin.
  - Outside: 7.13m long x 4.0m wide x 4.15m high
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.6m high.
- LCV:
  - Inside: 7.5m long (on the floor) & 7.0m long (at the ceiling) x 3.9m wide x 3.0m high cabin.
  - Outside: 8.13m long x 4.0m wide x 4.45m high
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.9m high.







## Specifications

- Surface mounted with unique roof mounted plant
  - Standard & Xtra booths comes with our standard fans with an air flow of 14,000 m<sup>3</sup>. (Upgrade to our 4kw low noise centrifugal fans, is available as an optional extra).
  - LCV booth comes with our 4kw low noise centrifugal fans with an air flow of 18,000 m<sup>3</sup>.
- Double skin 50mm thick insulated wall & roof panels, pre-coated white polyester finish, inside and out.
- Pressure locked Personnel Door built into the side wall for safe entry/exit.
- 4 sets of angled lights on each side, Each light box contains 4x 40w Fluorescent Daylight Bulbs.
- Inlet filter - (6 pcs/set - STD/Xtra) (8 pcs/set - LCV)
- Extract built into the back wall, including filters.
- Running costs as little as £2.50/hour
- Ducting package included: x2 3m spiral + inlet and outlet cowls
- Extra ductwork available at a cost
- Suitable for use with water based paints
- Booths available from stock, for quick delivery and installation
- Fully detailed operating manual provided
- Dedicated installation helpline

## Optional Extras

- Upgrade to LED lighting.
- Fast Air Drying System, Which helps speed up water-based paints drying time.
- NRG Plus energy saving enhancement. Senses when the paint gun isn't in use & switches the booth to the energy saving mode.

# RearEx

Our RearEx Spray booth uses an extraction chest that sits at the rear of the booth (side is also an option), instead of the usual pit extraction with the side extraction plant. Allow an extra 1.5m (Std & Xtra size booths) or 1.7m (LCV size booths) to overall the booth length for the plant and access.

The RearEx is available in 3 size options:

- Std:
  - Inside: 7.0m x 3.9m wide x 2.4m high cabin.
  - Outside: 7.13m long x 4.0m wide x 2.9m high. \*leave an additional 1.5m to the rear for plant and access.
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.3m high.
- Xtra:
  - Inside: 7.0m x 3.9m wide x 2.7m high cabin.
  - Outside: 7.13m long x 4.0m wide x 3.2m high. \*leave an additional 1.5m to the rear for plant and access.
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.6m high.
- LCV:
  - Inside: 8.0m x 3.9m wide x 3.0m high cabin.
  - Outside: 8.13m long x 4.0m wide x 3.5m high. \*leave an additional 1.7m to the rear for plant and access.
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.9m high.





## Specifications

- Surface mounted plant with unique rear extraction chest
  - Standard & Xtra booths comes with our standard fans with an air flow of 14,000 m<sup>3</sup>. (Upgrade to our 4kw low noise centrifugal fans, is available as an optional extra).
  - LCV booth comes with our 4kw low noise centrifugal fans with an air flow of 18,000 m<sup>3</sup>.
- Double skin 50mm thick insulated wall & roof panels, pre-coated white polyester finish, inside and out.
- Pressure locked Personnel Door built into the side wall for safe entry/exit.
- 4 sets of angled lights on each side, Each light box contains 4x 40w Fluorescent Daylight Bulbs.
- Inlet filter - (6 pcs/set - STD/Xtra) (8 pcs/set - LCV)
- Extract chest sits at the rear of the booth, including filters.
- Running costs as little as £2.50/hour
- Ducting package included: x2 3m spiral + inlet and outlet cowls
- Extra ductwork available at a cost
- Suitable for use with water based paints
- Booths available from stock, for quick delivery and installation
- Fully detailed operating manual provided
- Dedicated installation helpline

## Optional Extras

- Upgrade to LED lighting.
- Fast Air Drying System, Which helps speed up water-based paints drying time.
- NRG Plus energy saving enhancement. Senses when the paint gun isn't in use & switches the booth to the energy saving mode.

# RaisedFloor


Our Raised floor spray booth gives you a full floor extract without the groundwork of a down draught. The 300mm raised floor gives the booth an even airflow throughout, and the plant can be mounted on either side or at the back of the booth, allow an extra 1.5m (for Std sized booths) or 1.7m (for Xtra & LCV sized booths) to overall booth size for the plant. Internal hump back ramp design allows you to save workshop floorspace or external ramp design can be installed if preferred.

The RaisedFloor is available in 3 size options:

- Std:
  - Inside: 7.0m x 3.9m wide x 2.35m high cabin.
  - Outside: 7.13m long x 4.0m wide x 3.2m high. \*leave an additional 1.5m to the rear for plant and access.
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.6m high.
- Xtra:
  - Inside: 7.0m x 3.9m wide x 2.65m high cabin.
  - Outside: 7.13m long x 4.0m wide x 3.5m high. \*leave an additional 1.7m to the rear for plant and access.
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.9m high.
- LCV:
  - Inside: 8.0m x 3.9m wide x 3.05m high cabin.
  - Outside: 8.13m long x 4.0m wide x 3.9m high. \*leave an additional 1.7m to the rear for plant and access.
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 3.3m high.







## Specifications

- Either side or rear mounted plant
  - Standard booths comes with our standard fans with an air flow of 14,000 m<sup>3</sup>. (Upgrade to our 4kw low noise centrifugal fans, is available as an optional extra).
  - Xtra & LCV booth comes with our 4kw low noise centrifugal fans with an air flow of 18,000 m<sup>3</sup>.
- Double Pitched humpback ramp can be placed internally or externally.
- Double skin 50mm thick insulated wall & roof panels, pre-coated white polyester finish, inside and out.
- Pressure locked Personnel Door built into the side wall for safe entry/exit.
- 4 sets of angled lights on each side, Each light box contains 4x 40w Fluorescent Daylight Bulbs.
- Inlet filter - (10 pcs/set – STD/Xtra) (12 pcs/set - LCV)
- Extract area under a fully gridded floor, including filters.
- Running costs as little as £2.50/hour
- Ducting package included: x2 3m spiral + inlet and outlet cowls
- Extra ductwork available at a cost
- Suitable for use with water based paints
- Booths available from stock, for quick delivery and installation
- Fully detailed operating manual provided
- Dedicated installation helpline

## Optional Extras

- Upgrade to LED lighting.
- Fast Air Drying System, Which helps speed up water-based paints drying time.
- NRG Plus energy saving enhancement. Senses when the paint gun isn't in use & switches the booth to the energy saving mode.

# DownDraught

The DownDraught booth has full roof inlet filtration and extraction from a 4m x 2m (STD/Xtra) or 5m x 2m (LCV) central pit, which gives an even air flow through the booth. The plant can be put on either side or the rear of the booth, allow an extra 1.5m (for STD/Xtra sized Booths) or 1.7m (for LCV sized Booths) to overall booth size for the plant. Booths come in (STD) or (LCV)

The DownDraught is available in 3 size options:

- Std:
  - Inside: 7.0m x 3.9m wide x 2.4m high cabin.
  - Outside: 7.13m long x 4.0m wide x 2.9m high. \*leave an additional 1.5m to the rear for plant and access.
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.3m high.
- Xtra:
  - Inside: 7.0m x 3.9m wide x 2.7m high cabin.
  - Outside: 7.13m long x 4.0m wide x 3.2m high. \*leave an additional 1.5m to the rear for plant and access.
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.6m high.
- LCV:
  - Inside: 8.0m x 3.9m wide x 3.0m high cabin.
  - Outside: 8.13m long x 4.0m wide x 3.5m high. \*leave an additional 1.7m to the rear for plant and access.
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.9m high.





## Specifications

- Either side or rear mounted plant
  - Standard/Xtra booths comes with our standard fans with an air flow of 14,000 m<sup>3</sup>. (Upgrade to our 4kw low noise centrifugal fans, is available as an optional extra).
  - LCV booth comes with our 4kw low noise centrifugal fans with an air flow of 18,000 m<sup>3</sup>.
- Double skin 50mm thick insulated wall & roof panels, pre-coated white polyester finish, inside and out.
- Pressure locked Personnel Door built into the side wall for safe entry/exit.
- 4 sets of angled lights on each side, Each light box contains 4x 40w Fluorescent Daylight Bulbs.
- Inlet filter - (10 pcs/set - STD/Xtra) (12 pcs/set - LCV)
- Extract area in a concrete pit and tunnel (made by customer), including filters.
- Running costs as little as £2.50/hour
- Ducting package included: x2 3m spiral + inlet and outlet cowls
- Extra ductwork available at a cost
- Suitable for use with water based paints
- Booths available from stock, for quick delivery and installation
- Fully detailed operating manual provided
- Dedicated installation helpline

## Optional Extras

- Upgrade to LED lighting.
- Fast Air Drying System, Which helps speed up water-based paints drying time.
- NRG Plus energy saving enhancement. Senses when the paint gun isn't in use & switches the booth to the energy saving mode.



# WheelBox

Our Wheel Box spray booth is ideal for smaller repairs such as panels, bumpers and wheels etc. The Wheel Box can be fitted with either roof or rear chest mounted plant (Allow an extra 1.5m to overall booth size for RearChest plant). Our Wheel Box comes in 3 internal size options, 3m, 4m or 5m.

- 3m WheelBox:
  - Inside: 3.0m long (2.5 for Roof Mounted) x 3.9m wide x 2.4m high cabin.
  - Outside: 3.13m long x 4.0m wide x 2.9m high (3.85m for Roof Mounted)
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.3m high.
- 4m WheelBox:
  - Inside: 4.0m long (3.5 for Roof Mounted) x 3.9m wide x 2.4m high cabin.
  - Outside: 4.13m long x 4.0m wide x 2.9m high (3.85m for Roof Mounted)
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.3m high.
- 5m WheelBox:
  - Inside: 5.0m long (2.5 for Roof Mounted) x 3.9m wide x 2.4m high cabin.
  - Outside: 5.13m long x 4.0m wide x 2.9m high (3.85m for Roof Mounted)
  - Extra width and height 3 leaf door opening, for easier entry and exit. 3m wide x 2.3m high.







## Specifications

- Surface mounted plant with unique rear extraction chest or roof mounted plant
- Wheelbox booths comes with our standard fans with an air flow of 14,000 m<sup>3</sup>. (Upgrade to our 4kw low noise centrifugal fans, is available as an optional extra).
- Double skin 50mm thick insulated wall & roof panels, pre-coated white polyester finish, inside and out.
- Pressure locked Personnel Door built into the side wall for safe entry/exit.
- Angled lights on each side of the booth, Each light box contains 4x 40w Fluorescent Daylight Bulbs.
- Inlet filter - (4 pcs/set - 3m/4m booths) (6 pcs/set - 5m booths)
- Extract chest sits at the rear of the booth, including filters. Or Extract built into the back wall, including filters.
- Running costs as little as £2.50/hour
- Ducting package included: x2 3m spiral + inlet and outlet cowls
- Extra ductwork available at a cost
- Suitable for use with water based paints
- Booths available from stock, for quick delivery and installation
- Fully detailed operating manual provided
- Dedicated installation helpline

## Optional Extras

- Upgrade to LED lighting.
- NRG Plus energy saving enhancement. Senses when the paint gun isn't in use & switches the booth to the energy saving mode.

# SmartRepair

Our Smart Repair Booths perform as well as any other smart repair booths, but have the advantage of extra height and entrance width. The unique design will fit into most workshops, and will allow you to do smart repairs on anything from a bumper or a panel up to a full vehicle. Option of fitted doors or curtain entrance. Our Smart Repair Booths come in 5 size options. Allow an extra 1.0m to overall booth size for Chest Extract area.

- 3m long x 3.9m wide x 2.4m high cabin. (inside)
  - Outside: 3.1m long x 4.0m wide x 2.9m high. \*leave an additional 1.0m to the rear for chest extraction area.
- 4m long x 3.9m wide x 2.4m high cabin. (inside)
  - Outside: 4.1m long x 4.0m wide x 2.9m high. \*leave an additional 1.0m to the rear for chest extraction area.
- 5m long x 3.9m wide x 2.4m high cabin. (inside)
  - Outside: 5.1m long x 4.0m wide x 2.9m high. \*leave an additional 1.0m to the rear for chest extraction area.
- 6m long x 3.9m wide x 2.4m high cabin. (inside)
  - Outside: 6.1m long x 4.0m wide x 2.9m high. \*leave an additional 1.0m to the rear for chest extraction area.
- 7m long x 3.9m wide x 2.4m high cabin. (inside)
  - Outside: 7.1m long x 4.0m wide x 2.9m high. \*leave an additional 1.0m to the rear for chest extraction area.
- Glazed double vehicle doors with 2,400mm entry width and 2,325mm height





### Specifications

- Surface mounted fan with unique rear extraction chest
- Smart Repair booths comes with our standard fans with an air flow of 14,000 m3. (Upgrade to our 4kw low noise centrifugal fans, is available as an optional extra).
- Double skin 50mm thick insulated wall & roof panels, pre-coated white polyester finish, inside and out.
- Pressure locked Personnel Door built into the side wall for safe entry/exit.
- Angled lights on each side of the booth, Each light box contains 4x 40w Fluorescent Daylight Bulbs.
- 2 sets each side for 3.0m/4.0m sized booths
- 3 sets each side for 5.0m sized booth
- 4 sets each side for 6.0m/7.0m sized booths
- Inlet filter - (4 pcs/set)
- Extract chest sits at the rear of the booth, including filters.
- Ducting package included: x2 3m spiral + inlet and outlet cowls
- Extra ductwork available at a cost
- Booths available from stock, for quick delivery and installation
- Fully detailed operating manual provided
- Dedicated installation helpline

### Optional Extras

- Upgrade to LED lighting.

# Commercial/Industrial

Our Commercial/Industrial spray booths can be installed to your specifications for any commercial vehicles including; trucks, trailers, tractor units, buses, coaches, and even aeroplanes. We have 3 extraction methods; rear, side and pit and price will change depending on extraction and size of the booth.

## Specifications

- Sizes depending on customers specification and extraction method
- Double skin, pre-coated white polyester finish, inside and out
- Ducting package included: x2 3m spiral + inlet and outlet cowls
- Extra ductwork available at a cost
- Suitable for use with water based paints
- Booths available from stock, for quick delivery and installation
- Fully detailed operating manual provided
- Dedicated installation helpline





# Bespoke Spray Booths

Here at Reeve Spraybooths we are able to make specialised bespoke Spraybooths, commercial booths and Smart repair, to fit almost any customer requirements booths to your acquired specification in garages and units. Price on application.

## Specifications

- Sizes depending on buyers Specification
- single personnel door
- Double skin, pre-coated white polyester finish, inside and out
- Ducting package included
- Booths available from stock, for quick delivery and installation
- Fully detailed operating manual provided
- Dedicated installation helpline



# Paint Mixing Room

Our Paint Mixing Rooms provide daylight lighting and fully filtered extraction system, that is mounted above the roof to provide a great looking Paint Mixing Room. Our Paint Mixing Rooms are free standing or can be designed to use adjoining walls of the standing building if preferred.

Size can change to purchaser's liking but price will be determined on application.

## Specifications

- Standard Size Paint Mixing Room (sizes can be changed in accordance to customer needs)
  - 2.9m long x 2m wide x 2.4m high cabin. (inside)
- single personnel door
- Double skin, pre-coated white polyester finish, inside and out
- Ducting package included
- Paint Mixing Rooms available from stock, for quick delivery and installation
- Dedicated installation helpline



# Enhancements & Extras

We offer a range of enhancements and extras to accompany our booths, including our , Fast Air Drying System, NRG Plus energy saving mode and LED lighting upgrades.

## F.A.D.S - FAST AIR DRYING SYSTEM



F.A.D.S helps speed up water-based paints drying time so that the flash off time is reduced by 50% so that the coats can be applied earlier. F.A.D.S work by drawing warm filtered air from the plenum and disperse through the nozzles operating under the lights to create extra turbulence inside the cabin which helps cure the paint faster between application. F.A.D.S have their own mode which is used between spraying coats, but the fast air can be activated manually on bake by pressing the button on the panel if preferred. Retro fitting to an existing booth would possible but would be more expensive.

Fast air drying system can be an extra for all of our booth in our range.

The energy saving package helps the customers save money in the long run by having a smarter spray booth. With the NRG compressed air is needed as the booth has an air operated ram, this allows the booth to go from spray to bake in a matter of seconds. Also, the control panel can tell if the booth has been left running and can switch it to the energy saving mode which switches the lights off and only runs one fan instead of two. In addition, when the user starts spraying again it returns back to spray and the lights come back on. over time the NRG mode will save you money with its reduced gas and electricity usage.

Energy saving package can be an extra for all of our booth in our range.

## NRG - ENERGY SAVING PACKAGE



## LED LIGHTING



LED lighting can be added to your spray booth instead of the standard fluorescent lighting. Our LED bulbs are direct bright white light, 4 LED bulbs inside each lightbox





# Contact Us



[www.reevespraybooths.com](http://www.reevespraybooths.com)



[sales@reevespraybooths.com](mailto:sales@reevespraybooths.com)



0116 259 9555